



4 inch Recessed Retrofit LED Light (ND)



- Shape: Round or Square
- Color: White, Satin Nickel
- Wattage/Lumens: Round /12W/800L
- Wattage/Lumens: Square /15W/1200L
- Dimmable
- Base: E26/27 or GU10 adaptor
- Color Temp: 3000K, 4000K, 5000K
- CRI>80
- Thin design die-cast aluminum body
- Polycarbonate lens
- Driver On Board (DOB)
- Energy Star, ETL, FCC listed
- Voltage: 120 VAC
- Lifetime: 50,000 hours
- Dimensions: 1.81"D X 5.55" Diam.
- Estimated Yearly Cost: \$2-\$3



Item Codes

LROK-4(30/40/50)-D12(W/SN)-ND

4" Round, 12W, 800 lumen, 3000K, 4000K, 5000K, Dimmable, (White, Satin Nickel)

LROK-4(30/40/50)Q-D12(W/SN)-ND

4" Square, 12W, 800 lumen, 3000K, 4000K, 5000K, Dimmable, (White, Satin Nickel)

4 inch Recessed Retrofit LED Light (B)



- Shape: Round or Square
- Color: White, Satin Nickel
- Wattage: 10W (replaces 60W bulb)
- Lumens: 700-800
- Dimmable
- Choice of E26/27 or GU10 adaptor
- Color Temp: 3000K, 4000K, 5000K
- CRI 80
- Beam Angle: 100°
- Die-cast Aluminum Housing
- Polycarbonate lens
- Rated IP65 for wet locations
- UL listed
- Voltage: 120 VAC
- Lifespan: 50,000 hours
- 5 year warranty
- Dimensions: 2.95" H X 5.31" Diam.
- Estimated Yearly Cost: \$2-\$3



Item codes

LROK-4(30/40/50)B-D11-(W/SN)

Round, 10W, 700-800 lumen, 3000K, 4000K, 5000K, Dims, E26/27, White/Satin Nickel

LROK-4(30/40/50)B-D11GU-(W/SN)

Round, 10W, 700-800 lumen, 3000K, 4000K, 5000K, Dims, GU-10, White/Satin Nickel


LROK-4(30/40/50)BQ-D10-(W/SN)

Square, 10W, 700-800 lumen, 3000K, 4000K, 5000K, Dims, E26/27, White/Satin Nickel



LROK-4(30/40/50)BQ-D10GU-(W/SN)

Square, 10W, 700-800 lumen, 3000K, 4000K, 5000K, Dims, GU-10, White/Satin Nickel

Installation Instructions



1)Screw the base into the socket of junction box,as shown in the picture.



2)Put the fixture into the junction box,adjust it and done.