



3" Retrofit Lights - Recessed Housing



Shape: Round or Square
Color: White
Wattage: 9 (replaces 60W bulb)
Lumens: 700-800
Triac Dimmable 10-130 VAC
GU10 connection
Color Temp: 3000K, 4000K, 5000K
CRI >80
Beam Angle: 110°
LED Type: SMD2835
Die-cast aluminum housing
Polycarbonate lens
Rated for wet locations
ETL listed
Voltage: 100-130 VAC
Working Temp: -20° - +40°
Lamp Shell Temp: <55° C
Power Factor: >0.95
Lifespan: 50,000 hours
5 year warranty
Estimated Yearly Energy: \$2-\$3







Item Codes

LROK-330-D9-(W/B/SN)-GS	Round 3" 9W, 3000K, Dim, (white/black/satin nickel)
LROK-340-D9-(W/B/SN)-GS	Round 3" 9W, 4000K, Dim, (white/black/satin nickel)
LROK-350-D9-(W/B/SN)-GS	Round 3" 9W, 5000K, Dim, (white/black/satin nickel)
LROK-330Q-D9-(W/B/SN)-GS	Square 3" 9W, 3000K, Dim, (white/black/satin nickel)
LROK-340Q-D9-(W/B/SN)-GS	Square 3" 9 W, 4000K, Dim, (white/black/satin nickel)
LROK-350Q-D9-(W/B/SN)-GS	Square 3" 9 W, 5000K, Dim, (white/black/satin nickel)



3" Retrofit Lights - Recessed Housing

Mod.No.	9W
Dimmable	Triac Dimmable
Input	AC100-130V
Lumens	700-750lm
Efficacy	80lm/W
Beam Angel	120°
CCT	3000K, 4000K/6000K
CRI	> 80Ra or 90Ra
Power Factor	PF >0.95
LED Chip Brand	SOUEL
LED PACKAGE	SOUEL SMD2835 1W/PCS
LED QUANTITY	14pcs
LED DRIVER	Goldsun UL driver
OPERATING LIFE	50000hours
DIMENSIONS (mm)	88*88*65
Cut-out Size	
MATERIALS	Pure Aluminum + PC
COLOR / FINISH	White / Nickle Satin / Black
Qty / Ctn	
Ctn Size	



Round

Photometrics



Square

Photometrics

