




6 - 5 inch Recessed Retrofit LED Lights (B)



- Shape: Round, Square, Gimbal
- Color: White or Satin Nickel
- Round - 20W/1400 Lumens (replaces 100W)
- Square - 15W/12-1300 Lumens
- Gimbal (COB) - 15W/12-1300 Lumens (replace 120W)
- Triac Dimmable
- E26/27 or GU10 adaptor
- Color Temp: 3000K, 4000K, 5000K
- CRI 90
- Beam Angle: 110°
- Die-cast aluminum housing
- Polycarbonate lens
- Energy Star, UL listed
- Voltage: 100-130 VAC
- Lifespan: 50,000 hours
- * COB - Chip On Board



For 6" and 5" housings

LROK-65-B20-D(30/40/50)

Round, 20W, 1400 Lumen, Dims, 3000K, 400K, 5000K, CRI 90, White

LROK-65-BQ15-D(30/40/50)

Square, 15W, 12-1300 Lumen, Dims, 3000K, 400K, 5000K, CRI 90, White

LROK-65GB-D15W-(30/40/50)

Gimbal, COB LED, 15W, 12-1300 Lumens, Dims, 3000K, 400K, 5000K, CRI 80, White

LROK-65GB-D15SN-(30/40/50) -GS

Gimbal, COB LED, 15W, 12-1300 Lumen, Dims, 3000K, 400K, 5000K, CRI 80, Satin Nickel



6 - 5 inch Recessed Retrofit LED Lights (ND)



- Shape: Round or Square
- Color: White, Satin Nickel
- Wattage/Lumens: Round /12W/800L
- Wattage/Lumens: Square /15W/1200L
- Dimmable
- Base: E26/27 or GU10 adaptor
- Color Temp: 3000K, 4000K, 5000K
- CRI>80
- Thin design die-cast aluminum body
- Polycarbonate lens
- Driver On Board (DOB)
- Energy Star, ETL, FCC listed
- Voltage: 120 VAC
- Lifetime: 50,000 hours
- Dimensions: 1.81"D X 5.55" Diam.
- Estimated Yearly Cost: \$2-\$3



Item Codes

LROK-65(30/40/50)-D15(W/SN)-ND

6" Round, 15W, 1200 lumen 3000K, 4000K, 5000K, Dimmable, (White, Satin Nickel)

LROK-65(30/40/50)-D15Q(W/SN)-ND


6" Square 15W, 1200 lumen 3000K, 4000K, 5000K, Dimmable, (White, Satin Nickel)



6 inch Slim Disk Downlight LED



- Shape: Round
- Color: White, Satin Nickel
- Wattage: 15 (replaces 75W)
- Lumens: 1100
- Triac Dimmable
- E26/27 or GU10 adaptor
- Color Temp: 3000K, 4000K, 5000K
- CRI 90
- Beam Angle: 100°
- Slim die-cast aluminum housing
- Polycarbonate lens
- Rated for damp location
- Energy Star, ETL
- Voltage: 120 VAC
- Operation Temp: 32°F - 122°F
- Lifespan: 50,000 hours
- 3 year warranty
- Estimated Yearly Energy Cost: \$2-\$3



Item Codes

LROK-6-T0815-D(30/40/50)W-B

6" Round, 15W, 1100 Lumens, Dims 3000K, 4000K, 5000K, White

LROK-6-T0815-D(30/40/50)SN-B

6" Round, 15W, 1100 Lumens, Dims 3000K, 4000K, 5000K, Satin Nickel