


Compact Fluorescent

R40 Self Ballast Bulbs



Voltage: 110-130v/60hz

Base :E27

Life :8,000Hrs

Replace 75-120W Incandescent

Frost



Clear



| Items | Watts | Color Temp | Lumen | Reflector |
|------------|-------|------------|-------|-----------|
| R40P25/64F | 25 | 6400K | 950 | Frost |
| R40P25/64C | 25 | 6400K | 1100 | Clear |
| R40P25/41F | 25 | 4100K | 950 | Frost |
| R40P25/41C | 25 | 4100K | 1100 | Clear |
| R40P25/35F | 25 | 3500K | 950 | Frost |
| R40P25/35C | 25 | 3500K | 1100 | Clear |
| R40P25/27F | 25 | 2700K | 950 | Frost |
| R40P25/27C | 25 | 2700K | 1100 | Clear |
| R40P20/64F | 20 | 6400K | 750 | Frost |
| R40P20/64C | 20 | 6400K | 850 | Clear |
| R40P20/41F | 20 | 4100K | 750 | Frost |
| R40P20/41C | 20 | 4100K | 850 | Clear |
| R40P20/35F | 20 | 3500K | 750 | Frost |
| R40P20/35C | 20 | 3500K | 850 | Clear |
| R40P20/27F | 20 | 2700K | 750 | Frost |
| R40P20/27C | 20 | 2700K | 850 | Clear |

Our Gimble Rings Trims to Hold R40-Recess Lighting 6"



DNT642W/R



DNT642B/R



DNT642G/R




DNT642C/R



DNT642SN/R

Compact Fluorescent

R30 Self Ballast Bulbs



Voltage: 110-130v/60hz

Base :E27

Life :8,000Hrs

Replace 60-85W Incandescent


Frost



Clear



| Items | Watts | Color Temp | Lumen | Reflector |
|-------|-------|------------|-------|-----------|
|-------|-------|------------|-------|-----------|

| | | | | | |
|-------------|----|-------|-----|-------|--|
| R30PN18/64F | 18 | 6400K | 680 | Frost |  R30 Bulb Track Lighting TH704, SN3 |
| R30PN18/64C | 18 | 6400K | 770 | Clear | |
| R30PN18/41F | 18 | 4100K | 680 | Frost | |
| R30PN18/41C | 18 | 4100K | 770 | Clear | |
| R30PN18/35F | 18 | 3500K | 680 | Frost | |
| R30PN18/35C | 18 | 3500K | 770 | Clear | |
| R30PN18/27F | 18 | 2700K | 680 | Frost | |
| R30PN18/27C | 18 | 2700K | 770 | Clear | |

Our Gimble Rings Trims to Hold R30-Recess Lighting 6"



DNT641W/R



DNT641B/R



DNT641G/R




DNT641C/R



DNT641SN/R

Compact Fluorescent

R20 Self Ballast Bulbs



Voltage: 110-130v/60hz
 Base :E27
 Life :8,000Hrs
 Replace 50W Incandescent

Frost



Clear



| Items | Watts | Color Temp | Lumen | Reflector |
|------------|-------|------------|-------|-----------|
| R20P11/64F | 11 | 6400K | 420 | Frost |
| R20P11/64C | 11 | 6400K | 480 | Clear |
| R20P11/35F | 11 | 3500K | 420 | Frost |
| R20P11/35C | 11 | 3500K | 480 | Clear |
| R20P11/27F | 11 | 2700K | 420 | Frost |
| R20P11/27C | 11 | 2700K | 480 | Clear |



R20 Bulb
 Track Lighting
 TH713, SN3

Our Gimble Rings Trims to Hold R20-Recess Lighting 6"



DNT46W/R



DNT46B/R



DNT46G/R




DNT46C/R



DNT46SN/R

Compact Fluorescent


Spiral Self-Ballast Bulbs



Voltage: 110-130v/60hz
 Base : E27
 Life : 8,000Hrs
 Replace 75-125W Incandescent

| Items | Watts | Color Temp | Lumen | Length(L) |
|---------|-------|------------|-------|-----------|
| PS25/64 | 25 | 6400K | 1450 | 5.70" |
| PS25/41 | 25 | 4100K | 1450 | 5.70" |
| PS25/35 | 25 | 3500K | 1450 | 5.70" |
| PS25/27 | 25 | 2700K | 1450 | 5.70" |
| PS18/64 | 18 | 6400K | 1100 | 5.51" |
| PS18/35 | 18 | 3500K | 1100 | 5.51" |
| PS18/27 | 18 | 2700K | 1100 | 5.51" |

Mini-Spiral Self-Ballast Bulbs




Voltage: 110-130v/60hz
 Base : E27
 Life : 8,000Hrs
 Replace 45-75W Incandescent

| Items | Watts | Color Temp | Lumen | Length(L) |
|----------|-------|------------|-------|-----------|
| PSM15/64 | 15 | 6400K | 900 | 5.00" |
| PSM15/41 | 15 | 4100K | 900 | 5.00" |
| PSM15/27 | 15 | 2700K | 900 | 5.00" |
| PSM11/64 | 11 | 6400K | 610 | 4.72" |
| PSM11/41 | 11 | 4100K | 610 | 4.72" |
| PSM11/35 | 11 | 3500K | 610 | 4.72" |
| PSM11/27 | 11 | 2700K | 610 | 4.72" |

Compact Fluorescent

4U Super Short



Voltage: 110-130v/60hz
 Base :E27
 Life :8,000Hrs
 Replace 80-100W Incandescent

| Items | Watts | Color Temp | Lumen | Length(L) |
|-----------|-------|------------|-------|-----------|
| P4US15/64 | 15 | 6400K | 750 | 4.72" |
| P4US15/35 | 15 | 3500K | 750 | 4.72" |
| P4US15/27 | 15 | 2700K | 750 | 4.72" |

Application Of Recess Lighting 4"

Housings: DN04, DN05
 DN04 ICAT

Bulbs :R20P11
 PSM11, PSM15
 P4US15(Good for Shower Trims)
 PS18(Too Long for Shower Trims)

DNT44F/C
 Shower Fresnel
 With Reflector

DNT44A/C
 Shower Albalite
 With Reflector

DNT44D/C
 Shower Drop Dpal
 With Reflector

Option on Ring: Brush Nichel, Chrome & Polish Brass



DNT44ASN



DNT44FG



DNT44DC